

# Material Safety Data Sheet

---

- SECTION I - Material Identity
  - SECTION II - Manufacturer's Information
  - SECTION III - Physical/Chemical Characteristics
  - SECTION IV - Fire and Explosion Hazard Data
  - SECTION V - Reactivity Data
  - SECTION VI - Health Hazard Data
  - SECTION VII - Precautions for Safe Handling and Use
  - SECTION VIII - Control Measures
  - SECTION IX - Label Data
  - SECTION X - Transportation Data
  - SECTION XI - Site Specific/Reporting Information
  - SECTION XII - Ingredients/Identity Information
- 

## SECTION I - Material Identity

---

Item Name	
Part Number/Trade Name	308 BRITE RED RUST PROOF PAINT- AEROSOL
National Stock Number	8010P308
CAGE Code	3G2S6
Part Number Indicator	A
MSDS Number	193826
HAZ Code	B

---

## SECTION II - Manufacturer's Information

---

Manufacturer Name	AERVOE INDUSTRIES INC
Street	1198 MARK CIRCLE
City	GARDNERVILLE
State	NV
Country	US
Zip Code	89410
Emergency Phone	800-424-9300
Information Phone	775-782-0100

**MSDS Preparer's Information**

Date MSDS Prepared/Revised	19APR02
Active Indicator	Y

**Alternate Vendors****SECTION III - Physical/Chemical Characteristics**

Appearance/Odor	OPAQUE LIQUID/ SOLVENT BASED ODOR
Boiling Point	-44 - 302 F
Specific Gravity	0.7
Evaporation Rate	>N-BUTYL ACETATE
Solubility in Water	NA
Container Type	R
Container Pressure Code	4
Temperature Code	8
Product State Code	U

**SECTION IV - Fire and Explosion Hazard Data**

Flash Point	0
Flash Point Method	EST
Lower Explosion Limit	0.9
Upper Explosion Limit	12.8
Extinguishing Media	FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG
Special Fire Fighting Procedures	WATER SPRAY MAY BE INEFFECTIVE, BUT WATER MAY BE USED TO COOL CONTAINERS EXPOSED TO HEAT OR FIRE TO PREVENT PRESSURE BUILD-UP. SBCA SHOULD BE USED IF PRODUCT IS INVOLVED IN FIRE
Unusual Fire/Explosion Hazards	CLOSED CONTAINERS MAY EXPLODE DUE TO PRESSURE BUILD-UP FROM EXTREME HEAT OR FIRE. AEROSOL SPRAY IS EXTREMELY FLAMMABLE

**SECTION V - Reactivity Data**

Stability	YES
Stability Conditions to Avoid	HIGH TEMPERATURES
Materials to Avoid	STRONG OXIDIZING AGENTS
Hazardous Decomposition Products	CARBON MONOXIDE, CARBON DIOXIDE

Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR

---

## SECTION VI - Health Hazard Data

---

Route of Entry: Skin	U
Route of Entry: Ingestion	U
Route of Entry: Inhalation	U
Health Hazards - Acute and Chronic	ANESTHETIC. IRRITATION OF THE RESPIRATORY TRACT OR NERVOUS SYSTEM DEPRESSION
Carcinogenity: NTP	NO
Carcinogenity: IARC	NO
Carcinogenity: OSHA	NO
Symptoms of Overexposure	[INHALE] MAY CAUSE DIZZINESS OR NAUSEA [SKIN/EYE] MAY CAUSE IRRITATION OR BURNING SENSATION [INGEST] NA
Medical Cond. Aggravated by Exposure	NONE KNOWN
Emergency/First Aid Procedures	[INHALE] REMOVE TO FRESH AIR & RESTORE BREATHING. SEEK MED ATTN. [SKIN] WASH AFFECTED AREA, REMOVE CONTAMINATED CLOTHING [EYE] FLUSH IMMED. W/ WATER FOR 15 MIN. & TAKE TO A PHYSICIAN

---

## SECTION VII - Precautions for Safe Handling and Use

---

Steps if Material Released/Spilled	REMOVE ALL SOURCES OF IGNITION. FLAMES, SPARKS, STATIC ELECTRICITY & ELECTRICAL. VENTILATE AREA, AVOID RUN OFF INTO SEWER BY DIKING & SOAK UP WITH INERT ABSORBENT USING NON-SPARKING TOOLS
Waste Disposal Method	DISPOSE OF IN ACCORDANCE WITH FED, STATE & LOCAL REGS. DO NOT INCINERATE CLOSED CONTAINERS
Handling and Storage Precautions	DO NOT STORE ABOVE 120 F. DO NOT STORE OR USE NEAR HEAT, SPARKS OR FLAME
Other Precautions	DO NOT GET IN EYES. DO NOT BREATHE VAPORS. AVOID SKIN CONTACT. DO NOT TAKE INTERNALLY. SMOKIN WHILE USING THIS PRODUCT MUST BE STRICTLY PROHIBITED

---

## SECTION VIII - Control Measures

---

Respiratory Protection	OUTDOORS - RECOMMEND AN APPROVED MECHANICAL PARTICULATE FILTER TO REMOVE ANY AIRBORNE OVERSPRAY. IN RESTRICTED AREAS WITH POOR VENTILATION, USE NIOSH APPROVED ORGANIC CARTRIDGE RESPIRATOR
Ventilation	ALL APPLICATION AREAS SHOULD BE WELL VENTILATED
Protective Gloves	IMPERVIOUS GLOVES (NATURAL RUBBER)
Eye Protection	SAFETY GLASSES W/ SIDE SHIELDS
Other Protective Equipment	IMPERVIOUS APRON. EYE WASH FOUNTAIN & SAFETY SHOWER
Work Hygienic Practices	AVOID PROLONGED OR REPEATED CONTACT. WASH CONTAMINATED CLOTHING BEFORE REUSE

---

## SECTION IX - Label Data

Protect Eye	NO
Protect Skin	NO
Protect Respiratory	NO
Chronic Indicator	UNKNOWN
Contact Code	UNKNOWN
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN

---

## SECTION X - Transportation Data

---

## SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G)	3.79
Volatile Organic Compounds (G/L)	454.1892

---

## SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	BENZENE, DIMETHYL-
CAS Number	1330207
Percent	12
OSHA PEL	100 PPM
ACGIH TLV	100 PPM

Ingredient #	02
Ingredient Name	BENZENE, ETHYL-
CAS Number	100414
Percent	2
OSHA PEL	100 PPM
ACGIH TLV	100 PPM
Ingredient #	03
Ingredient Name	*MINERAL SPIRITS
CAS Number	8052413
Percent	5
OSHA PEL	100 PPM
ACGIH TLV	100 PPM
Ingredient #	04
Ingredient Name	2-PROPANONE
CAS Number	67641
Percent	39
OSHA PEL	750 PPM
ACGIH TLV	750 PPM
Ingredient #	05
Ingredient Name	PROPANE
CAS Number	74986
Percent	15
OSHA PEL	1000 PPM
ACGIH TLV	1000 PPM
Ingredient #	06
Ingredient Name	PROPANE, 2-METHYL-
CAS Number	75285
Percent	5
OSHA PEL	800 PPM
ACGIH TLV	800 PPM
Ingredient #	07
Ingredient Name	*NORMAL BUTANE
CAS Number	106976
Percent	7
OSHA PEL	600 PPM
ACGIH TLV	600 PPM

---